



PORTABLE AIR CONDITIONER DEHUMIDIFIER

Catalog 2023~

Head office : FANCY GRACE INTERNATIONAL LIMITED

Address : Flat J, 9/F, Valiant Ind.Ctr., 2-12 Au Pui Wan St., Fo Tan, N.T., Hong Kong

Email: info@fancygraceintl.com

Branch: Fancy Grace International Limited Taiwan Branch

Address : Rm. 5A10, 5F., No. 5, Sec. 5, Xinyi Rd., Xinyi Dist., Taipei City 110, Taiwan (R.O.C.)

Tel : 886-2-2720-1799 Fax : 886-2-2720-1179

Factory: King Post (Jiujiang) Industrial Co., Ltd

Address : Industrial Ave., Gongqingcheng City, Jiujiang, Jiangxi Province, China

Tel : 86-792-439 9988 Fax: 86-792-439 9968

E-mail : info@fancygraceintl.com Website : www.fancygraceintl.com





Established in :	1983	
Main Products:	Portable Air Conditioner, Dehumidifier, Desiccant, Air Purifier, Caravan Air Conditioner	
Head Office:	Hong Kong	
Branch:	Taipei, Taiwan	
Plants Location:	Jiujiang / Jiangxi province China(290,000sqm)	
Employees:	600	
R&D Engineers:	25	
Production Lines :	4	
In House Capabilities:	R&D, Design, QA, Tooling, Injection, Motor Production, Assembling	
Main Export Markets:	Europe	50%
	Asia	25%
	North America	10%
	Others	15%



Portable Air Conditioner



- ❖ **Super power**-Working up to 43℃
- ❖ **2 Control panel types:** Digital Control & Soft touch panel
- ❖ **Super Efficiency**-Built-in energy saving function
- ❖ **4 functions in 1:** Auto/Cooling/Fan/Dehumidify
- ❖ Thermostatic Cut Off, Auto Shut Off, Overheating Protection, Auto Diagnosis
- ❖ Anti-bacteria water tray and water tank inside , no germ & bacteria will be built up inside
- ❖ Adjustable air vent
- ❖ Easy to manoeuvre on casters
- ❖ Air cooling system, no need for frequent drainage except the extreme wet weather (R.H. over 90%)

Optional feature: **Heating,WIFI**

Model no.		FGA-1477A/FGA-1477B	FGA-1577A/FGA-1577B
Power supply		220-240V~, 50Hz	
Cooling capacity	BTU/hr	14000	15000
	KW	4.1	4.3
Power/Ampere consumption	W/A	1380W/6.2A	1650 / 7.7
Dehumidify capacity	L/day	35.5	43
Air volume(max.)	M³ /h	500	520
Compressor		rotary	
Refrigerant			

Portable Air Conditioner



- ✧ 4 functions in 1: Auto/cooling/Fan/Dehumidify
- ✧ Thermostatic Cut Off, Auto Shut Off, Overheating Protection, Auto Diagnosis
- ✧ Energy saving sleep function and Breeze Mode
- ✧ Anti-bacteria water tray and water tank inside , no germ & bacteria will be built up inside.
- ✧ Adjustable air vent
- ✧ Easy to manoeuvre on casters
- ✧ Power indicator light
- ✧ Air cooling system, no need for frequent drainage except the very wet weather (R.H.over 90%)

Optional feature: Heating,WIFI,TIO₂

Model no.		FGA-7075B	FGA-8075B	FGA-9075B	FGA-1075B
Power supply		220-240V~, 50Hz			
Cooling capacity	BTU/hr	7000	8000	9000	10000
	KW	2.1	2.3	2.6	2.93
Power/Ampere consumption	W/A	810/3.6	885/4.0	1000/4.5	1130/5.0
Dehumidify capacity	L/day	15	17	22	27
Air volume					

Dehumidifier



IP 21 APPROVAL

- ✧ Special humidity indicator in front panel which will light up in 3 different colors for users easy identification on room humidity:
Blue light — room humidity >70%
Green light — room humidity 50~70%
Red light — room humidity <50%
Red light flash — water full alarm
- ✧ Turbo function for laundry purpose
- ✧ Active carbon filter plus washable dust filter for better air quality
- ✧ 24 hours programmable timer
- ✧ 5 sections humidity setting
- ✧ 2 fan speed
- ✧ 5L big anti-bacteria water tank,avoids built-up of mold and bacteria
- ✧ Auto-restart

Dehumidifier

Model no.		FGD-1646AE/FGD-1646BE	FGD-2046AE/FGD-2046BE
Power supply		220-240V~, 50Hz	
Dehumidify capacity	L/day	16	20
Power/Ampere consumption	W/A	390 / 1.75	415 / 1.9
Air volume(max.)	M³ /h	150	150
Compressor		rotary	
Refrigerant		R290	

Dehumidifier



- ◇ LED Touch panel
- ◇ Special humidity indicator in feont panel which will light up in 3 different colors for users easy identification on room humidity:
 - Blue light – room humidity > 70%
 - Green light – room humidity 50%~70%
 - Red light – room humidity < 50%
 - Red light flash – water full alarm
- ◇ 6L big anti-bacteria water tank,avoids built-up of mold and bacteria
- ◇ Wifi function is optional by extra cost
- ◇ Shoes duyer function is optional by extra cost(extendable length from 25~80cm)
- ◇ Active carbon filter plus washable dust filter for better air quality
- ◇ 24 hours programmable timer
- ◇ 2 fan speed
- ◇ Auto-restart

Optional feature:WIFI,TiO2(UV light),UVC-LED Sterilizer

Dehumidifier

Model no.		FGD-2068E	FGD-2568E	FGD-3068E
Power supply		220-240V~, 50Hz		
Dehumidify capacity	L/day	20	25	30
Power/Ampere consumption	W/A	320 / 1.5	320 / 1.5	510 / 2.3
Air volume(max.)	M³ /h	180	230	230
Compressor		rotary		
Refrigerant				

